

ACS TMP8

PRODUCT TECHNICAL SPECIFICATION

NUMBER	STW: EX/1338/2
DATE	2025-02-20
CHEMICAL NAME	Alcohols, C13-15, ethoxylated
TECHNICAL REQUIREMENTS	Appearance at temperature (20÷25)°C.....liquid or paste Colour (Hazen units) at (45÷50)°C.....max 50 (ASTM D1209-05(2019),spectrophotometric method) Cloud point (aqueous solution), °C49 ÷ 55 (PN-EN 1890:2006,method A) pH of 5% solution.....5 ÷ 7 (PN-EN 1262:2004, solution B at temperature 20°C) Water, % (m/m).....max 1 (PN-ISO 760:2001, direct method)
INFORMATIVE DATA*	Molecular weight, g/mol.....approx. 560 Solubility in water.....low, creates turbid solutions Othe solvents.....low aliphatic alcohols Density at 25°C, g/mL.....approx. 0.99 Viscosity at 40°C, cPapprox. 110 Solidification point, °C.....approx. 19 Hydrophilic-lipophilic balance (HLB) approx 12.5

* These informative data are not technical requirements and cannot form the basis for anyclaims.

USE	Nonionic surfactant used in various cleaning and washing agents and as an emulsifier. It can be used in oxidizing, reducing and hard water environments. It is active in cold water, in an acid and neutral baths, as well as in diluted alkalies.
------------	--

PACKAGING	Polyethylene drums with a capacity of 120 and 220 liters, IBC and other packaging as agreed with the customer.
STORAGE	Store in a tightly closed container in a room protected against atmospheric conditions, at a temperature of up to 40°C.
SHELF LIFE	Guaranteed period of stability: 24 months from the date of manufacture.
TRANSPORTATION	This product is not regulated for carriage according to ADR/RID, IMDG, ICAO/IATA.
CLASSIFICATION AND LABELLING	This technical specification is applicable only if accompanied by the Safety Data Sheet in force. Pursuant to statutory requirements, only the Safety Data Sheet includes updated safety information.

The information contained herein is provided in good faith, based on our state of the art knowledge and experience. We reserve the right to amend this Technical Specification as a result of technological progress and product development by the manufacturer.

This product is intended for the purposes specified herein, for industrial and professional use. To use the product for purposes other than indicated herein, please contact ACS Chem GmbH for consultation sending an e-mail to: office@acs-chem.at

We cannot assume any liability for the use and application of our products, technical assistance and information provided (whether verbal, written or by way of product evaluations), including any suggested formulations and recommendations.

Therefore, it is imperative that you test our products, technical assistance and information provided to determine to your own satisfaction whether they are suitable for your needs, production, your intended uses and applications. Such analysis adopted to the conditions of the use and application should include at least application tests, technical feasibility of the suggested solutions, taking into account safety requirements, health and environmental issues.

Unless otherwise specified in writing, our products are offered under our applicable Standard Terms and Conditions of Sale available on our website. Any information, including technical assistance, is provided without warrant and can change at any time without notice. The parties explicitly agree that the Customer accepts and explicitly releases us from any liability in tort, contract or otherwise, for any loss or damage arising from the use of our products, information or technical assistance. Any declarations and recommendations other than stated herein are not valid or binding. Nothing in this document is intended to be a recommendation to use any product in violation of patent claims concerning material of intended use.



ACS CHEM GmbH

Erwin Schrödinger Straße 9
2100 Korneuburg
+43 2262 23903
office@acs-chem.at
www.acs-chem.at
UID ATU77986468
Firmenbuch Nr. FN 577100b
Gerichtstand LG Korneuburg